


Network Performance Monitor



NPM Summary

All Nodes managed by NPM

Hardware Health Overview

Node Count: 28

Up: 23, Warning: 0, Critical: 1, Undefined: 4

High Errors & Discards Today

INTERFACES WITH ERRORS-DISCARDS GREATER THAN 1000 TODAY

NODE	INTERFACE	RECEIVE ERRORS	RECEIVE DISCARDS	TRANSMIT ERRORS	TRANSMIT DISCARDS
10.199.2.9	wifi0	0 errors	0 discards	10,372 errors	0 discards
DEV-BRND-SUM-01	Intel 21140 Based PCI Fast Ethernet Adapter (Emulated) - Local Area Connection	0 errors	8,605 discards	0 errors	0 discards
LAB-TOK-EQIP-RIP-1	GigabitEthernet0/0 - Gi0/0	5,702 errors	663 discards	0 errors	0 discards
DEV-CODECOLLAB	Intel 21140 Based PCI Fast Ethernet Adapter (Emulated) - Local Area Connection	0 errors	6,160 discards	0 errors	0 discards
DVB-NRA-ASMIE	Intel(R) E2575LM Gigabit Network Connection Ethernet	0 errors	3,085 discards	0 errors	0 discards
TEX-3750-AUS-LAB	Pan-channel1 - Po1	0 errors	0 discards	0 errors	1,853 discards
TEX-3750-AUS-LAB	FastEthernet1/0/23 - Fa1/0/23	0 errors	0 discards	0 errors	1,849 discards
DEV-AUS-MONITOR	Microsoft Hyper-V Network Adapter #2 - Local Area Connection 3	0 errors	0 discards	1,495 errors	0 discards
TOK-SRX100	vlan	0 errors	1,480 discards	0 errors	0 discards
DEV-BRND-H9-04	Intel 21140 Based PCI Fast Ethernet Adapter (Emulated) - Local Area Connection	0 errors	1,147 discards	0 errors	0 discards

Worldwide Map

Ultimate end-to-end visibility for your network.

SolarWinds® Network Performance Monitor (NPM) is a powerful and affordable network monitoring software that enables you to quickly detect, diagnose, and resolve network performance problems and outages.

TRY IT FREE

30 days, full version

NETWORK PERFORMANCE MONITOR AT A GLANCE

- » Speed troubleshooting, increase service levels, and reduce downtime with multi-vendor network monitoring
- » Advanced network troubleshooting for on-premises, hybrid, and cloud services with critical path hop-by-hop analysis
- » Cross-stack network data correlation for acceleration of problem identification
- » New in v12.2: Monitor and manage your Cisco® ASA environment with Network Insight for Cisco ASA
- » Improves operational efficiency with out-of-the-box dashboards, alerts, and reports
- » Automatically discovers network devices and typically deploys in about an hour

FEATURES

Fault, performance, and availability monitoring

Quickly detect, diagnose, and resolve network performance issues and avoid downtime with network optimization software.

TRY IT FREE

30 days, full version

Hop-by-hop analysis along critical paths

View performance, traffic, and configuration details of devices and applications that are on-premises, in the cloud, or across hybrid environments with NetPath™.

Cross-stack network data correlation

Accelerate identification of root cause by dragging and dropping network performance metrics on a common timeline for immediate visual correlation across all of your network data.

Customizable topology and dependency-aware intelligent alerts

Respond to multiple condition checks, correlated events, network topology, and device dependencies.

Dynamic wired and wireless network discovery and mapping

Automatically discover and map devices, performance metrics, link utilization, and wireless coverage.

Automated capacity forecasting, alerting, and reporting

Automatically calculate exhaustion dates using customizable thresholds based on peak and average usage.

Comprehensive monitoring of F5® BIG-IP® and Cisco ASA family of products

Visualize and gain insight into the health and performance of your F5 service delivery and Cisco ASA environment with Network Insight™.

Wireless network monitoring and management

Retrieve performance metrics for autonomous access points, wireless controllers, and clients.

Consultant and services-free deployment

Install and deploy in generally as little as an hour, with out-of-the-box monitors, alerts, and reports.

Customizable single-pane-of-glass network monitoring software

Customizable web-based network performance dashboards, views, and charts.

End-user quality of experience with packet capture and analysis

Determine if changes in end-user experience are caused by the application or the network.

Dynamic statistical network performance baselines

Dynamically calculate baseline thresholds from historical network performance data.

Hardware health monitoring

Monitor, alert, and report on key device metrics, including temperature, fan speed, and power supply.

Customizable performance and availability reports

Schedule and generate custom network performance reports with one of over 100 out-of-the-box templates.

Drag-and-discover network performance charts

Real-time network performance metrics with interactive charts and graphs from your network devices.

TRY IT FREE

30 days, full version

SYSTEM REQUIREMENTS

HARDWARE		MINIMUM REQUIREMENTS
CPU		Quad core processor or better
Memory		4 GB
Hard Drive		20 GB minimum
SOFTWARE		MINIMUM REQUIREMENTS
OS		Windows Server 2012, 2012 R2, and 2016
Database		SolarWinds supports Express, Standard, or Enterprise versions of the following: SQL Server® 2012, 2012 SP1, 2012 SP2, 2012 SP3 SQL Server 2014, 2014 SP1, 2014 SP2 SQL Server 2016, 2016 SP1 SQL Server 2017 RC1

NOTE: The minimum server requirements listed assume default configuration. Significantly increasing the poll rate or statistic collection rate could result in additional load on the server, which may require a larger CPU or additional memory.

ABOUT SOLARWINDS

SolarWinds provides powerful and affordable IT management software to customers worldwide, from Fortune 500® enterprises to small businesses, managed service providers (MSPs), government agencies, and educational institutions. We are committed to focusing exclusively on IT, MSP, and DevOps professionals, and strive to eliminate the complexity that our customers have been forced to accept from traditional enterprise software vendors. Regardless of where the IT asset or user sits, SolarWinds delivers products that are easy to find, buy, use, maintain, and scale while providing the power to address key areas of the infrastructure from on-premises to the cloud. This focus and commitment to excellence in end-to-end hybrid IT performance management has established SolarWinds as the worldwide leader in both network management software and MSP solutions, and is driving similar growth across the full spectrum of IT management software. Our solutions are rooted in our deep connection to our user base, which interacts in our THWACK® online community to solve problems, share technology and best practices, and directly participate in our product development process. Learn more today at www.solarwinds.com.

TRY IT FREE

30 days, full version

LEARN MORE

AMERICAS

Phone: 134643567

Fax: 512.682.9301

Email: sales@solarwinds.com

EMEA

Phone: +353 21 5002900

Fax: +353 212 380 232

Email: sales@solarwinds.com

APAC

Tel : +65 6593 7600

Fax : +65 6593 7601

Email: sales@solarwinds.com

For product information about SolarWinds products, visit solarwinds.com, call, or email.

7171 Southwest Parkway | Building 400 | Austin, Texas 78735 **this is a test**



For additional information, please contact SolarWinds at 866.530.8100 or email sales@solarwinds.com.

To locate an international reseller near you, visit http://www.solarwinds.com/partners/reseller_locator.aspx

© 2017 SolarWinds Worldwide, LLC. All rights reserved.

The SolarWinds, SolarWinds & Design, Orion, and THWACK trademarks are the exclusive property of SolarWinds Worldwide, LLC or its affiliates, are registered with the U.S. Patent and Trademark Office, and may be registered or pending registration in other countries. All other SolarWinds trademarks, service marks, and logos may be common law marks or are registered or pending registration. All other trademarks mentioned herein are used for identification purposes only and are trademarks of (and may be registered trademarks) of their respective companies.